



# REDUCER

同心漸縮管 / 偏心漸縮管



DIMENSIONS		(unit: inch / mm)										
Nominal Pipe Size		Outside Dia. OD1	Outside Dia. OD2	Wall Thickness(T1,T2)								Length H
				Sch. 5S		Sch. 10S		Sch. 40S		Sch. 80S		
				T1	T2	T1	T2	T1	T2	T1	T2	
3/4	1/2	1.05	0.84	0.065	0.065	0.083	0.083	0.113	0.109	0.154	0.147	1.5
		26.67	21.336	1.651	1.651	2.1082	2.1082	2.8702	2.7686	3.9116	3.7338	38.1
1	1/2	1.315	0.84	0.065	0.065	0.109	0.083	0.133	0.109	0.179	0.147	2
		33.401	21.336	1.651	1.651	2.7686	2.1082	3.3782	2.7686	4.5466	3.7338	50.8
1	3/4	1.315	1.05	0.065	0.065	0.109	0.083	0.133	0.113	0.179	0.154	2
		33.401	26.67	1.651	1.651	2.7686	2.1082	3.3782	2.8702	4.5466	3.9116	50.8
1 1/4	1	1.66	1.315	0.065	0.065	0.109	0.109	0.14	0.133	0.191	0.179	2
		42.164	33.401	1.651	1.651	2.7686	2.7686	3.556	3.3782	4.8514	4.5466	50.8
1 1/2	1/2	1.9	0.84	0.065	0.065	0.109	0.083	0.145	0.109	0.2	0.147	2.5
		48.26	21.336	1.651	1.651	2.7686	2.1082	3.683	2.7686	5.08	3.7338	63.5
1 1/2	3/4	1.9	1.05	0.065	0.065	0.109	0.083	0.145	0.113	0.2	0.154	2.5
		48.26	26.67	1.651	1.651	2.7686	2.1082	3.683	2.8702	5.08	3.9116	63.5
1 1/2	1	1.905	1.315	0.065	0.065	0.109	0.109	0.145	0.133	0.2	0.179	2.5
		48.387	33.401	1.651	1.651	2.7686	2.7686	3.683	3.3782	5.08	4.5466	63.5
1 1/2	1 1/4	1.9	1.66	0.065	0.065	0.109	0.109	0.145	0.14	0.2	0.191	2.5
		48.26	42.164	1.651	1.651	2.7686	2.7686	3.683	3.556	5.08	4.8514	63.5
2	3/4	2.375	1.05	0.065	0.065	0.109	0.083	0.154	0.113	0.218	0.154	3
		60.325	26.67	1.651	1.651	2.7686	2.1082	3.9116	2.8702	5.5372	3.9116	76.2
2	1	2.375	1.315	0.065	0.065	0.109	0.109	0.154	0.133	0.218	0.179	3
		60.325	33.401	1.651	1.651	2.7686	2.7686	3.9116	3.3782	5.5372	4.5466	76.2
2	1 1/4	2.375	1.66	0.065	0.065	0.109	0.109	0.154	0.14	0.218	0.191	3
		60.325	42.164	1.651	1.651	2.7686	2.7686	3.9116	3.556	5.5372	4.8514	76.2
2	1 1/2	2.375	1.9	0.065	0.065	0.109	0.109	0.154	0.145	0.218	0.2	3
		60.325	48.26	1.651	1.651	2.7686	2.7686	3.9116	3.683	5.5372	5.08	76.2
2 1/2	1	2.875	1.315	0.083	0.065	0.12	0.109	0.203	0.133	0.276	0.179	3.5
		73.025	33.401	2.1082	1.651	3.048	2.7686	5.1562	3.3782	7.0104	4.5466	88.9
2 1/2	1 1/4	2.875	1.66	0.083	0.065	0.12	0.109	0.203	0.14	0.276	0.191	3.5
		73.025	42.164	2.1082	1.651	3.048	2.7686	5.1562	3.556	7.0104	4.8514	88.9
2 1/2	1 1/2	2.875	1.9	0.083	0.065	0.12	0.109	0.203	0.145	0.276	0.2	3.5
		73.025	48.26	2.1082	1.651	3.048	2.7686	5.1562	3.683	7.0104	5.08	88.9
2 1/2	2	2.875	2.375	0.083	0.065	0.12	0.109	0.203	0.154	0.276	0.218	3.5
		73.025	60.325	2.1082	1.651	3.048	2.7686	5.1562	3.9116	7.0104	5.5372	88.9
3	1	3.5	1.315	0.083	0.065	0.12	0.109	0.216	0.133	0.3	0.179	3.5
		88.9	33.401	2.1082	1.651	3.048	2.7686	5.4864	3.3782	7.62	4.5466	88.9
3	1 1/4	3.5	1.66	0.083	0.065	0.12	0.109	0.216	0.14	0.3	0.191	3.5
		88.9	42.164	2.1082	1.651	3.048	2.7686	5.4864	3.556	7.62	4.8514	88.9
3	1 1/2	3.5	1.9	0.083	0.065	0.12	0.109	0.216	0.145	0.3	0.2	3.5
		88.9	48.26	2.1082	1.651	3.048	2.7686	5.4864	3.683	7.62	5.08	88.9
3	2	3.5	2.375	0.083	0.065	0.12	0.109	0.216	0.154	0.3	0.218	3.5
		88.9	60.325	2.1082	1.651	3.048	2.7686	5.4864	3.9116	7.62	5.5372	88.9
3	2 1/2	3.5	2.875	0.083	0.083	0.12	0.109	0.216	0.203	0.3	0.276	3.5
		88.9	73.025	2.1082	2.1082	3.048	2.7686	5.4864	5.1562	7.62	7.0104	88.9
4	1 1/2	4.5	1.9	0.083	0.065	0.12	0.109	0.237	0.145	0.337	0.2	4
		114.3	48.26	2.1082	1.651	3.048	2.7686	6.0198	3.683	8.5598	5.08	101.6
4	2	4.5	2.375	0.083	0.065	0.12	0.109	0.237	0.154	0.337	0.218	4
		114.3	60.325	2.1082	1.651	3.048	2.7686	6.0198	3.9116	8.5598	5.5372	101.6
4	2 1/2	4.5	2.875	0.083	0.083	0.12	0.12	0.237	0.203	0.337	0.276	4
		114.3	73.025	2.1082	2.1082	3.048	3.048	6.0198	5.1562	8.5598	7.0104	101.6
4	3	4.5	3.5	0.083	0.083	0.12	0.12	0.237	0.216	0.337	0.3	4
		114.3	88.9	2.1082	2.1082	3.048	3.048	6.0198	5.4864	8.5598	7.62	101.6

WEIGHTS		(unit: kg)			
Nominal Pipe Size		Sch. 5S	Sch. 10S	Sch. 40S	Sch.80S
3/4	1/2	0.034	0.043	0.059	0.075
1	1/2	0.06	0.086	0.105	0.133
1	3/4	0.06	0.095	0.116	0.147
1 1/4	1	0.066	0.122	0.157	0.206
1 1/2	1/2	0.091	0.142	0.183	0.242
1 1/2	3/4	0.095	0.153	0.201	0.266
1 1/2	1	0.103	0.166	0.219	0.291
1 1/2	1 1/4	0.118	0.184	0.243	0.324
2	3/4	0.121	0.217	0.3	0.406
2	1	0.143	0.233	0.322	0.438
2	1 1/4	0.156	0.254	0.352	0.478
2	1 1/2	0.164	0.269	0.372	0.508
2 1/2	1	0.256	0.370	0.631	0.789
2 1/2	1 1/4	0.276	0.370	0.631	0.789
2 1/2	1 1/2	0.281	0.388	0.661	0.831
2 1/2	2	0.307	0.426	0.724	0.919
3	1	0.281	0.408	0.716	0.888
3	1 1/4	0.299	0.431	0.753	0.956
3	1 1/2	0.315	0.449	0.783	1.04
3	2	0.339	0.484	0.846	1.13
3	2 1/2	0.376	0.522	0.933	1.23
4	1 1/2	0.435	0.629	1.18	1.64
4	2	0.464	0.665	1.27	1.76
4	2 1/2	0.499	0.706	1.37	1.86
4	3	0.528	0.758	1.45	2.02

5	3	5.563	3.5	0.109	0.083	0.134	0.12	0.258	0.216	0.375	0.3	5
		141.3	88.9	2.7686	2.1082	3.4036	3.048	6.5532	5.4864	9.525	7.62	127
5	4	5.563	4.5	0.109	0.083	0.134	0.12	0.258	0.237	0.375	0.337	5
		141.3	114.3	2.7686	2.1082	3.4036	3.048	6.5532	6.0198	9.525	8.5598	127
6	2 1/2	6.625	2.875	0.109	0.083	0.134	0.12	0.28	0.203	0.432	0.276	5.5
		168.275	73.025	2.7686	2.1082	3.4036	3.048	7.112	5.1562	10.9728	7.0104	139.7
6	3	6.625	3.5	0.109	0.083	0.134	0.12	0.28	0.216	0.432	0.3	5.5
		168.275	88.9	2.7686	2.1082	3.4036	3.048	7.112	5.4864	10.9728	7.62	139.7
6	4	6.625	4.5	0.109	0.083	0.134	0.12	0.28	0.237	0.432	0.337	5.5
		168.275	114.3	2.7686	2.1082	3.4036	3.048	7.112	6.0198	10.9728	8.5598	139.7
6	5	6.625	5.563	0.109	0.109	0.134	0.134	0.28	0.258	0.432	0.375	5.5
		168.275	141.3	2.7686	2.7686	3.4036	3.4036	7.112	6.5532	10.9728	9.525	139.7
8	4	8.625	4.5	0.109	0.083	0.148	0.12	0.322	0.237	0.5	0.337	6
		219.075	114.3	2.7686	2.1082	3.7592	3.048	8.1788	6.0198	12.7	8.5598	152.4
8	5	8.625	5.563	0.109	0.109	0.148	0.134	0.322	0.258	0.5	0.375	6
		219.075	141.3	2.7686	2.7686	3.7592	3.4036	8.1788	6.5532	12.7	9.525	152.4
8	6	8.625	6.625	0.109	0.109	0.148	0.134	0.322	0.28	0.5	0.432	6
		219.075	168.275	2.7686	2.7686	3.7592	3.4036	8.1788	7.112	12.7	10.9728	152.4
10	5	10.75	5.563	0.134	0.109	0.165	0.134	0.365	0.258	0.5	0.375	7
		273.05	141.3	3.4036	2.7686	4.191	3.4036	9.271	6.5532	12.7	9.525	177.8
10	6	10.75	6.625	0.134	0.109	0.165	0.134	0.365	0.28	0.5	0.432	7
		273.05	168.275	3.4036	2.7686	4.191	3.4036	9.271	7.112	12.7	10.9728	177.8
10	8	10.75	8.625	0.134	0.109	0.165	0.148	0.365	0.322	0.5	0.5	7
		273.05	219.075	3.4036	2.7686	4.191	3.7592	9.271	8.1788	12.7	12.7	177.8
12	6	12.75	6.625	0.156	0.109	0.18	0.134	0.375	0.28	0.5	0.432	8
		323.85	168.275	3.9624	2.7686	4.572	3.4036	9.525	7.112	12.7	10.9728	203.2
12	8	12.75	8.625	0.156	0.109	0.18	0.148	0.375	0.322	0.5	0.5	8
		323.85	219.075	3.9624	2.7686	4.572	3.7592	9.525	8.1788	12.7	12.7	203.2
12	10	12.75	10.75	0.156	0.134	0.18	0.165	0.375	0.365	0.5	0.5	8
		323.85	273.05	3.9624	3.4036	4.572	4.191	9.525	9.271	12.7	12.7	203.2
14	12	14	12.75	0.188	0.18	0.312	0.25	0.375	0.375	0.5	0.5	13
		355.6	323.85	4.7752	4.572	7.9248	6.35	9.525	9.525	12.7	12.7	330.2
14	10	14	10.75	0.188	0.165	0.312	0.25	0.375	0.365	0.5	0.5	13
		355.6	273.05	4.7752	4.191	7.9248	6.35	9.525	9.271	12.7	12.7	330.2
14	8	14	8.625	0.188	0.148	0.312	0.25	0.375	0.322	0.5	0.5	13
		355.6	219.075	4.7752	3.7592	7.9248	6.35	9.525	8.1788	12.7	12.7	330.2
14	6	14	6.625	0.188	0.134	0.312		0.375	0.28	0.5	0.5	13
		355.6	168.275	4.7752	3.4036	7.9248	0	9.525	7.112	12.7	12.7	330.2
16	14	16	14	0.188	0.188	0.312	0.312	0.375	0.375	0.5	0.5	14
		406.4	355.6	4.7752	4.7752	7.9248	7.9248	9.525	9.525	12.7	12.7	355.6
16	12	16	12.75	0.188	0.18	0.312	0.25	0.375	0.375	0.5	0.5	14
		406.4	323.85	4.7752	4.572	7.9248	6.35	9.525	9.525	12.7	12.7	355.6
16	10	16	10.75	0.188	0.165	0.312	0.25	0.375	0.365	0.5	0.5	14
		406.4	273.05	4.7752	4.191	7.9248	6.35	9.525	9.271	12.7	12.7	355.6
16	8	16	8.625	0.188	0.148	0.312	0.25	0.375	0.322	0.5	0.5	14
		406.4	219.075	4.7752	3.7592	7.9248	6.35	9.525	8.1788	12.7	12.7	355.6
18	16	18	16	0.188	0.188	0.312	0.312	0.375	0.375	0.5	0.5	15
		457.2	406.4	4.7752	4.7752	7.9248	7.9248	9.525	9.525	12.7	12.7	381
18	14	18	14	0.188	0.188	0.312	0.312	0.375	0.375	0.5	0.5	15
		457.2	355.6	4.7752	4.7752	7.9248	7.9248	9.525	9.525	12.7	12.7	381
18	12	18	12.75	0.188	0.18	0.312	0.25	0.375	0.375	0.5	0.5	15
		457.2	323.85	4.7752	4.572	7.9248	6.35	9.525	9.525	12.7	12.7	381
18	10	18	10.75	0.188	0.165	0.312	0.25	0.375	0.365	0.5	0.5	15
		457.2	273.05	4.7752	4.191	7.9248	6.35	9.525	9.271	12.7	12.7	381
20	18	20	18	0.218	0.188	0.375	0.312	0.375	0.375	0.5	0.5	20
		508	457.2	5.5372	4.7752	9.525	7.9248	9.525	9.525	12.7	12.7	508

5	3	0.991	1.22	2.27	3.18
5	4	1.107	1.33	2.5	3.52
6	2 1/2	1.12	1.35	2.74	4.51
6	3	1.24	1.53	3.04	4.56
6	4	1.34	1.65	3.3	4.96
6	5	1.45	1.78	3.57	5.38
8	4	1.8	2.43	5.1	7.68
8	5	1.9	2.57	5.4	8.14
8	6	2.01	2.72	5.71	8.63
10	5	2.82	3.98	8.42	11.3
10	6	3.3	4.14	8.78	11.8
10	8	3.59	4.49	9.58	12.9
12	6	4.97	5.92	11.8	15.9
12	8	5.45	6.31	12.7	16.7
12	10	5.83	6.78	13.6	18
14	12	13	21.1	25.4	33.6
14	10	12.1	19.6	23.6	31.2
14	8	11.2	18.1	21.8	28.9
14	6	11	16.8	20.2	26.6
16	14	15.8	25.8	31	41.1
16	12	15.2	24.6	29.6	39.2
16	10	14.4	23.1	27.8	36.8
16	8	14.1	21.8	26.2	34.4
18	16	19.2	31.4	37.8	50.1
18	14	18.2	29.7	35.7	47.4
18	12	17.6	28.5	34.3	45.5
18	10	17	27.2	32.7	43.1
20	18	33.1	56.4	56.4	74.9

20	16	20	16	0.218	0.188	0.375	0.312	0.375	0.375	0.5	0.5	20
		508	406.4	5.5372	4.7752	9.525	7.9248	9.525	9.525	12.7	12.7	508
20	14	20	14	0.218	0.18	0.375	0.312	0.375	0.375	0.5	0.5	20
		508	355.6	5.5372	4.572	9.525	7.9248	9.525	9.525	12.7	12.7	508
20	12	20	12.75	0.218	0.18	0.375	0.25	0.375	0.375	0.5	0.5	20
		508	323.85	5.5372	4.572	9.525	6.35	9.525	9.525	12.7	12.7	508
22	20	22	20	0.218	0.218	0.375	0.375	0.375	0.375	0.5	0.5	20
		558.8	508	5.5372	5.5372	9.525	9.525	9.525	9.525	12.7	12.7	508
22	18	22	18	0.218	0.188	0.375	0.312	0.375	0.375	0.5	0.5	20
		558.8	457.2	5.5372	4.7752	9.525	7.9248	9.525	9.525	12.7	12.7	508
22	16	22	16	0.218	0.188	0.375	0.312	0.375	0.375	0.5	0.5	20
		558.8	406.4	5.5372	4.7752	9.525	7.9248	9.525	9.525	12.7	12.7	508
22	14	22	14	0.218	0.188	0.375	0.312	0.375	0.375	0.5	0.5	20
		558.8	355.6	5.5372	4.7752	9.525	7.9248	9.525	9.525	12.7	12.7	508
24	22	24	22	0.25	0.218	0.375	0.375	0.375	0.375	0.5	0.5	20
		609.6	558.8	6.35	5.5372	9.525	9.525	9.525	9.525	12.7	12.7	508
24	20	24	20	0.25	0.218	0.375	0.375	0.375	0.375	0.5	0.5	20
		609.6	508	6.35	5.5372	9.525	9.525	9.525	9.525	12.7	12.7	508
24	18	24	18	0.25	0.188	0.375	0.312	0.375	0.375	0.5	0.5	20
		609.6	457.2	6.35	4.7752	9.525	7.9248	9.525	9.525	12.7	12.7	508
24	16	24	16	0.25	0.188	0.375	0.312	0.375	0.375	0.5	0.5	20
		609.6	406.4	6.35	4.7752	9.525	7.9248	9.525	9.525	12.7	12.7	508
24	14	24	14	0.25	0.188	0.375	0.312	0.375	0.375	0.5	0.5	20
		609.6	355.6	6.35	4.7752	9.525	7.9248	9.525	9.525	12.7	12.7	508
26	24	26	24			0.5	0.375	0.375	0.375	0.5	0.5	24
		660.4	609.6			12.7	9.525	9.525	9.525	12.7	12.7	609.6
26	20	26	20			0.5	0.375	0.375	0.375	0.5	0.5	24
		660.4	508			12.7	9.525	9.525	9.525	12.7	12.7	609.6
26	18	26	18			0.5	0.312	0.375	0.375	0.5	0.5	24
		660.4	457.2			12.7	7.9248	9.525	9.525	12.7	12.7	609.6
26	16	26	16			0.5	0.312	0.375	0.375	0.5	0.5	24
		660.4	406.4			12.7	7.9248	9.525	9.525	12.7	12.7	609.6
28	26	28	26			0.5	0.5	0.375	0.375	0.5	0.5	24
		711.2	660.4			12.7	12.7	9.525	9.525	12.7	12.7	609.6
28	24	28	24			0.5	0.375	0.375	0.375	0.5	0.5	24
		711.2	609.6			12.7	9.525	9.525	9.525	12.7	12.7	609.6
28	20	28	20			0.5	0.375	0.375	0.375	0.5	0.5	24
		711.2	508			12.7	9.525	9.525	9.525	12.7	12.7	609.6
28	18	28	18			0.5	0.312	0.375	0.375	0.5	0.5	24
		711.2	457.2			12.7	7.9248	9.525	9.525	12.7	12.7	609.6
30	28	30	28			0.5	0.5	0.375	0.375	0.5	0.5	24
		762	711.2			12.7	12.7	9.525	9.525	12.7	12.7	609.6
30	26	30	26			0.5	0.5	0.375	0.375	0.5	0.5	24
		762	660.4			12.7	12.7	9.525	9.525	12.7	12.7	609.6
30	24	30	24			0.5	0.375	0.375	0.375	0.5	0.5	24
		762	609.6			12.7	9.525	9.525	9.525	12.7	12.7	609.6
30	20	30	20			0.5	0.375	0.375	0.375	0.5	0.5	24
		762	508			12.7	9.525	9.525	9.525	12.7	12.7	609.6
32	30	32	30			0.5	0.5	0.375	0.375	0.5	0.5	24
		812.8	762			12.7	12.7	9.525	9.525	12.7	12.7	609.6
32	28	32	28			0.5	0.5	0.375	0.375	0.5	0.5	24
		812.8	711.2			12.7	12.7	9.525	9.525	12.7	12.7	609.6
32	26	32	26			0.5	0.5	0.375	0.375	0.5	0.5	24
		812.8	660.4			12.7	12.7	9.525	9.525	12.7	12.7	609.6
32	24	32	24			0.5	0.375	0.375	0.375	0.5	0.5	24
		812.8	609.6			12.7	9.525	9.525	9.525	12.7	12.7	609.6


20	16	31.7	53.5	53.5	71.1
20	14	29.9	50.8	50.8	67.4
20	12	28.1	47.9	47.9	63.7
22	20	36.6	62.6	62.6	82.9
22	18	35	59.7	59.7	79.2
22	16	33.4	57.1	57.1	75.6
22	14	31.8	54.5	54.5	72
24	22	46	68.6	68.6	91
24	20	44.1	65.7	65.7	87.3
24	18	42.4	63	63	83.7
24	16	40.7	60.3	60.3	80.1
24	14	39	57.6	57.6	76.5
26	24		128.28	98.53	128.03
26	20		118.02	90.65	117.79
26	18		112.88	86.7	112.66
26	16		107.76	82.76	107.54
28	26		138.54	106.41	138.27
28	24		133.41	102.47	133.15
28	20		123.15	94.59	122.91
28	18		118.02	90.65	117.78
30	28		148.8	114.29	148.51
30	26		143.67	110.35	143.39
30	24		138.54	106.41	138.27
30	20		128.28	98.53	128.03
32	30		159.07	122.17	158.75
32	28		153.93	118.23	153.63
32	26		148.8	114.29	148.51
32	24		143.67	110.4	143.39

34	32	34	32			0.5	0.5	0.375	0.375	0.5	0.5	24
		863.6	812.8			12.7	12.7	9.525	9.525	12.7	12.7	609.6
34	30	34	30			0.5	0.5	0.375	0.375	0.5	0.5	24
		863.6	762			12.7	12.7	9.525	9.525	12.7	12.7	609.6
34	28	34	28			0.5	0.5	0.375	0.375	0.5	0.5	24
		863.6	711.2			12.7	12.7	9.525	9.525	12.7	12.7	609.6
34	26	34	26			0.5	0.5	0.375	0.375	0.5	0.5	24
		863.6	660.4			12.7	12.7	9.525	9.525	12.7	12.7	609.6
36	34	36	34			0.5	0.5	0.375	0.375	0.5	0.5	24
		914.4	863.6			12.7	12.7	9.525	9.525	12.7	12.7	609.6
36	32	36	32			0.5	0.5	0.375	0.375	0.5	0.5	24
		914.4	812.8			12.7	12.7	9.525	9.525	12.7	12.7	609.6
36	30	36	30			0.5	0.5	0.375	0.375	0.5	0.5	24
		914.4	762			12.7	12.7	9.525	9.525	12.7	12.7	609.6
36	28	36	28			0.5	0.5	0.375	0.375	0.5	0.5	24
		914.4	711.2			12.7	12.7	9.525	9.525	12.7	12.7	609.6
38	36	38	36					0.375	0.375	0.5	0.5	24
		965.2	914.4					9.525	9.525	12.7	12.7	609.6
38	34	38	34					0.375	0.375	0.5	0.5	24
		965.2	863.6					9.525	9.525	12.7	12.7	609.6
38	32	38	32					0.375	0.375	0.5	0.5	24
		965.2	812.8					9.525	9.525	12.7	12.7	609.6
38	30	38	30					0.375	0.375	0.5	0.5	24
		965.2	762					9.525	9.525	12.7	12.7	609.6
38	28	38	28					0.375	0.375	0.5	0.5	24
		965.2	711.2					9.525	9.525	12.7	12.7	609.6
38	26	38	26					0.375	0.375	0.5	0.5	24
		965.2	660.4					9.525	9.525	12.7	12.7	609.6
40	38	40	38					0.375	0.375	0.5	0.5	24
		1016	965.2					9.525	9.525	12.7	12.7	609.6
40	34	40	34					0.375	0.375	0.5	0.5	24
		1016	863.6					9.525	9.525	12.7	12.7	609.6
40	36	40	36					0.375	0.375	0.5	0.5	24
		1016	914.4					9.525	9.525	12.7	12.7	609.6
40	32	40	32					0.375	0.375	0.5	0.5	24
		1016	812.8					9.525	9.525	12.7	12.7	609.6
40	30	40	30					0.375	0.375	0.5	0.5	24
		1016	762					9.525	9.525	12.7	12.7	609.6
42	40	42	40					0.375	0.375	0.5	0.5	24
		1066.8	1016					9.525	9.525	12.7	12.7	609.6
42	38	42	38					0.375	0.375	0.5	0.5	24
		1066.8	965.2					9.525	9.525	12.7	12.7	609.6
42	36	42	36					0.375	0.375	0.5	0.5	24
		1066.8	914.4					9.525	9.525	12.7	12.7	609.6
42	34	42	34					0.375	0.375	0.5	0.5	24
		1066.8	863.6					9.525	9.525	12.7	12.7	609.6
42	32	42	32					0.375	0.375	0.5	0.5	24
		1066.8	812.8					9.525	9.525	12.7	12.7	609.6
42	30	42	30					0.375	0.375	0.5	0.5	24
		1066.8	762					9.525	9.525	12.7	12.7	609.6
44	42	44	42					0.375	0.375	0.5	0.5	24
		1117.6	1066.8					9.525	9.525	12.7	12.7	609.6
44	40	44	40					0.375	0.375	0.5	0.5	24
		1117.6	1016					9.525	9.525	12.7	12.7	609.6
44	38	44	38					0.375	0.375	0.5	0.5	24
		1117.6	965.2					9.525	9.525	12.7	12.7	609.6

34	32		169.33	130.06	168.99
34	30		164.2	126.12	163.88
34	28		159.07	122.17	158.75
34	26		153.93	118.51	153.63
36	34		148.8	137.94	179.24
36	32		143.67	133.99	174.12
36	30		169.33	130.06	168.99
36	28		164.2	126.12	163.88
38	36		159.07	145.82	189.48
38	34		153.93	141.88	184.36
38	32		179.59	137.94	179.24
38	30		147.46	133.99	174.12
38	28		169.33	130.06	168.99
38	26		164.2	126.12	163.88
40	38			153.7	199.72
40	36			149.76	194.6
40	34			145.82	189.46
40	32			141.88	184.36
40	30			137.94	179.24
42	40			161.59	209.97
42	38			157.64	204.85
42	36			153.7	199.72
42	34			149.76	194.6
42	32			145.82	189.46
42	30			141.88	184.36
44	42			169.47	220.21
44	40			165.53	215.09
44	38			161.59	209.97

44	36	44	36				0.375	0.375	0.5	0.5	24
		1117.6	914.4				9.525	9.525	12.7	12.7	609.6
46	44	46	44				0.375	0.375	0.5	0.5	28
		1168.4	1117.6				9.525	9.525	12.7	12.7	711.2
46	42	46	42				0.375	0.375	0.5	0.5	28
		1168.4	1066.8				9.525	9.525	12.7	12.7	711.2
46	40	46	40				0.375	0.375	0.5	0.5	28
		1168.4	1016				9.525	9.525	12.7	12.7	711.2
46	38	46	38				0.375	0.375	0.5	0.5	28
		1168.4	965.2				9.525	9.525	12.7	12.7	711.2
46	36	46	36				0.375	0.375	0.5	0.5	28
		1168.4	914.4				9.525	9.525	12.7	12.7	711.2
48	44	48	44				0.375	0.375	0.5	0.5	28
		1219.2	1117.6				9.525	9.525	12.7	12.7	711.2
48	42	48	42				0.375	0.375	0.5	0.5	28
		1219.2	1066.8				9.525	9.525	12.7	12.7	711.2
48	40	48	40				0.375	0.375	0.5	0.5	28
		1219.2	1016				9.525	9.525	12.7	12.7	711.2

44	36			157.64	204.85
46	44			177.35	230.45
46	42			173.41	225.33
46	40			169.47	220.21
46	38			165.53	215.09
46	36			165.53	215.09
48	44			181.29	235.57
48	42			177.35	230.45
48	40			173.41	225.33


**大甲永和機械工業股份有限公司 Tachia Yung Ho Machine Industry Co., Ltd**  
 Add : 台中市大甲區幼獅路69號 No.69, Youshi Rd., Dajia Dist., Taichung City 437, Taiwan  
 Tel : 04-2681-5496 Fax : 04-2681-5456 Web : www.yhmc.com.tw